


HEADBAND RPET
FLEX + FLEECE
1PL04884

Colour space: CMYK
Dimensions: 250 x 100 mm (±5%)
Care Label: Yes



PLEASE CHECK:

COLOURS
Colours on fabric will closely match **CMYK**. To ensure accuracy, order a colour sample.
Complaints are considered only if a sample was requested.

DESIGN
Please save format as: **pdf, .eps, .ai**
Minimum resolution: **300 DPI**



FONTS AND LINES
Fonts must be in curves. Recommended minimum size of text is **10 pt (Arial)**.
Recommended minimum line thickness is **0,3 mm**

PRINT AREA
Artwork outside the safe area may be cut or stitched over.
Placement tolerance is **±10 mm**; final size may vary up to **5%**.
Logo placement on the sides can't be placed accurately!


Placing the order or accepting this project means that you are familiar with presented technical information, and you agree with it.

POLAR COLOUR

- ☐ WHITE
- ☐ BLACK
- ☒ GRAPHITE
- ☐ GREEN
- ☐ DARK NAVY



BACK



HEADBAND RPET
FLEX + FLEECE
1PL04855

Colour space: CMYK
Dimensions: 250 x 100 mm (±5%)
Care Label: Yes



PLEASE CHECK:

COLOURS
Colours on fabric will closely match **CMYK**. To ensure accuracy, order a colour sample.
Complaints are considered only if a sample was requested.

DESIGN
Please save format as: **pdf, .eps, .ai**
Minimum resolution: **300 DPI**

FONTS AND LINES
Fonts must be in curves. Recommended minimum size of text is **10 pt (Arial)**.
Recommended minimum line thickness is **0,3 mm**

PRINT AREA
Artwork outside the safe area may be cut or stitched over.
Placement tolerance is **±10 mm**; final size may vary up to **5%**.
Logo placement on the sides can't be placed accurately!


Placing the order or accepting this project means that you are familiar with presented technical information, and you agree with it.

POLAR COLOUR


- ☐ WHITE
- ☐ BLACK
- ☐ GRAPHITE
- ☐ GREEN
- ☒ DARK NAVY



FRONT



BACK



HEADBAND RPET
FLEX + FLEECE
1PL04864

Colour space: CMYK
Dimensions: 250 x 100 mm (±5%)
Care Label: Yes



PLEASE CHECK:

COLOURS
Colours on fabric will closely match **CMYK**. To ensure accuracy, order a colour sample.
Complaints are considered only if a sample was requested.

DESIGN
Please save format as: **pdf, .eps, .ai**
Minimum resolution: **300 DPI**


FONTS AND LINES
Fonts must be in curves. Recommended minimum size of text is **10 pt (Arial)**.
Recommended minimum line thickness is **0,3 mm**

PRINT AREA
Artwork outside the safe area may be cut or stitched over.
Placement tolerance is **±10 mm**; final size may vary up to **5%**.
Logo placement on the sides can't be placed accurately!


Placing the order or accepting this project means that you are familiar with presented technical information, and you agree with it.

POLAR COLOUR

- ☐ WHITE
- ☐ BLACK
- ☐ GRAPHITE
- ☒ GREEN
- ☐ DARK NAVY




BACK



HEADBAND RPET
FLEX + FLEECE
1PL04890

Colour space: CMYK
Dimensions: 250 x 100 mm (±5%)
Care Label: Yes



PLEASE CHECK:

COLOURS
Colours on fabric will closely match **CMYK**. To ensure accuracy, order a colour sample.
Complaints are considered only if a sample was requested.

DESIGN
Please save format as: **pdf, .eps, .ai**
Minimum resolution: **300 DPI**



FONTS AND LINES
Fonts must be in curves. Recommended minimum size of text is **10 pt (Arial)**.
Recommended minimum line thickness is **0,3 mm**

PRINT AREA
Artwork outside the safe area may be cut or stitched over.
Placement tolerance is **±10 mm**; final size may vary up to **5%**.
Logo placement on the sides can't be placed accurately!


Placing the order or accepting this project means that you are familiar with presented technical information, and you agree with it.

POLAR COLOUR

- ☐ WHITE
- ☒ BLACK
- ☐ GRAPHITE
- ☐ GREEN
- ☐ DARK NAVY



BACK



HEADBAND RPET
FLEX + FLEECE
1PL04801

Colour space: CMYK
Dimensions: 250 x 100 mm (±5%)
Care Label: Yes



PLEASE CHECK:

COLOURS
Colours on fabric will closely match **CMYK**. To ensure accuracy, order a colour sample.
Complaints are considered only if a sample was requested.

DESIGN
Please save format as: **pdf, .eps, .ai**
Minimum resolution: **300 DPI**


FONTS AND LINES
Fonts must be in curves. Recommended minimum size of text is **10 pt (Arial)**.
Recommended minimum line thickness is **0,3 mm**

PRINT AREA
Artwork outside the safe area may be cut or stitched over.
Placement tolerance is **±10 mm**; final size may vary up to **5%**.
Logo placement on the sides can't be placed accurately!

Placing the order or accepting this project means that you are familiar with presented technical information, and you agree with it.

POLAR COLOUR

- ☒ WHITE
- ☐ BLACK
- ☐ GRAPHITE
- ☐ GREEN
- ☐ DARK NAVY



BACK

